AUTHOR INDEX TO VOLUME 69

Abendroth, H., see B. Lu 69 (1988) 6
Abrahan, N.B., see P. Galatola 69 (1989) 414, 419
Agarwal, G.S. and R.R. Puri, Nonequilibrium phase transitions in a squeezed cavity and the generation of spin states satisfying uncertainty equality 69 (1989) 267
Agulló-López, F., see M. Carrascosa 69 (1988) 83
Ainsworth, M.D. and J.A. Piper, A hybrid copper/gold laser pumped dye amplifier 69 (1989) 294
Akhmediev, N.N., R.F. Nabiev and Yu.M. Popov, Three-dimensional modes of a symmetric nonlinear plane waveguide 69 (1989) 247
Aldén, M. and W. Wendt, Detection of nitrogen molecules through multi-photon laser excitation and N_2^+ fluorescence 69 (1988) 31
Antonetti, A., see J.P. Chambaret 69 (1989) 401
Asakura, T., see H. Kadono 69 (1989) 199
Aubert, J.J., Ch. Wyon, D. Leti, A. Cassimi, V. Hardy and J. Hamel, Un laser solide accordable pompé par diode 69 (1989) 299
Azzam, R.M.A., see M.A. Habli 69 (1989) 181

Bates, R.H.T., see B.L.K. Davey 69 (1989) 353
Ben-Aryeh, Y. and A. Postan, The gain profile for phase conjugation in four wave mixing by stimulated Brillouin scattering in fluids 69 (1988) 87
Ben-Aryeh, Y., see B. Huttner 69 (1988) 93
Bernardini, M., F. D'Amato, M. Giorgi and S. Marchetti, Very high tunability with single line operation of a transverse excitation multi-atmosphere CO_2 laser 69 (1989) 271
Berndt, K., see B. Rheinländer 69 (1989) 374
Blatt, R., see H. Gilhaus 69 (1988) 25
Bohle, W., see M. Gromoll-Bohle 69 (1989) 409
Bostick, J.M., S.A. Mounter and C.K. Johnson, Dual picosecond dye lasers pumped by synchronized mode-locked and Q-switched cw Nd:YAG lasers 69 (1988) 54
Bozhevol'nyi, S.I. and K. Pedersen, Measurement of effective index fluctuations in Ti:$LiNbO_3$ waveguides using Cherenkov second-harmonic 69 (1989) 239
Briguet, V., see W. Lukosz 69 (1988) 121
Broja, M., F. Wyrowski and O. Bryngdahl, Digital halftoning by iterative procedure 69 (1989) 205
Brun, A., see P. Georges 69 (1989) 281
Bryngdahl, O., see M. Broja 69 (1989) 205

Cabrera, J.M., see M. Carrascosa 69 (1988) 83
Carrascosa, M., J.M. Cabrera and F. Agulló-López, Role of photovoltaic drift on the initial writing and erasure rates of holographic gratings: some implications 69 (1988) 83
Case, A.D., M.R. Osborne, M.J. Damzen and M.H.R. Hutchinson, A flashlamp-pumped dye laser with a SBS phase-conjugate resonator 69 (1989) 311
Cassimi, A., see J.J. Aubert 69 (1989) 299
Ceglio, N.M., D.P. Gaines, D.G. Stearns and A.M. Hawryluk, Double pass amplification of laser radiation at 131 Å 69 (1989) 285

Chambaret, J.P., A. Dos Santos, G. Hamoniaux, A. Migus and A. Antonetti, Generation of megawatt tunable pulses of duration 90 fs at a 11 kHz repetition rate: first experiments in the range 800–850 nm 69 (1989) 401
Chastaing, E., see V. Dentan 69 (1989) 379
Chen, D., N. Okamoto and R. Matsushima, Second harmonic generation from organic nonlinear materials of N-alkyl-4-nitroaniline 69 (1989) 425
Chen, S.-S., see Z.-Z. Xu 69 (1988) 49
Chern, J.-L. and J.-T. Shy, Spatial disorder in a nonlinear optical system: (1) The number of unstable modes in the short delay limit 69 (1988) 108
Chi, S. and S. Wen, Optical soliton near zero-dispersion regime in a Raman pumped fiber 69 (1989) 334
Christov, I.P., "Temporal modes" representation of propagating light pulses 69 (1988) 101
Chu, S., see M. Fee 69 (1989) 219

Daigo, H., N. Okamoto and H. Fujimura, Second harmonic generation from composites of 2-methyl-4-nitroaniline and polymethyl methacrylate made in a constant electric field 69 (1988) 181
D'Amato, F., see M. Bernardini 69 (1989) 271
Damzen, M.J., see A.D. Case 69 (1989) 311
Davey, B.L.K., R.G. Lane and R.H.T. Bates, Blind deconvolution of noisy complex-valued image 69 (1989) 353
Débarre, D., M. Lefebvre and M. Péalat, Coherent subharmonic anti-Stokes Raman spectroscopy (CSARS) in gases 69 (1989) 362
Deng, X., see H. Mao 69 (1988) 166
Dentan, V., Y. Lévy, M. Dumont, P. Robin and E. Chastaing, Electrooptic properties of a ferroelectric polymer studied by attenuated total reflection 69 (1989) 379
Diebold, G.J., see S.M. Park 69 (1989) 253
Ding, P.-J., see Z.-M. Li 69 (1988) 117
Dos Santos, A., see J.P. Chambaret 69 (1989) 401
Dumont, M., see V. Dentan 69 (1989) 379
Dunn, M.H., see M. Ebrahimzadeh 69 (1988) 161

Ebrahimzadeh, M. and M.H. Dunn, Optical parametric fluorescence and oscillation in urea using an excimer laser 69 (1988) 161
Eggers, H., see B. Lu 69 (1988) 6
El-Saba, A.M., see M.A. Habli 69 (1989) 181
Espie, D., D.C. Hanna, A. Kazer and D.P. Shepherd, CW operation of Nd:YAG pumped Yb:Er phosphate glass laser at 1.54 μm 69 (1988) 153
Evans, E.D., see V.E. Wood 69 (1988) 156

Faldon, M.E., see A.S. Gouveia-Neto 69 (1988) 173; 69 (1989) 325
Fan, P.-Z., see Z.-Z. Xu 69 (1988) 49
Fauchet, P.M., see W.L. Nighan Jr. 69 (1989) 339
Fee, M., S. Chu and T.W. Hänsch, Scanning electromagnetic transmission line microscope with sub-wavelength resolution 69 (1989) 219
Fernandez Guasti, M. and A. Gil Villegas, Propagation of rays in a duct with a radially variable refractive index: first integral solutions for gaussian profiles 69 (1988) 105
Ficek, Z., R. Tanaś and S. Kielich, Amplitude-squared squeezing in two-atom resonance fluorescence 69 (1988) 20

Fu, S., Reconstruction characteristics of nonlinearly recorded double-exposure holograms 69 (1989) 225
Fujimura, H., see H. Daigo 69 (1988) 181

Gage, E.C., see Z.Y. Ou 69 (1988) 1
Gaines, D.P., see N.M. Ceglio 69 (1989) 285
Galatola, P., L.A. Lugiato, M. Vadacchino and N.B. Abraham, Phase instability in two-photon optical bistability 69 (1989) 414
Galatola, P., L.A. Lugiato, M. Vadacchino and N.B. Abraham, Squeezing in two-photon optical bistability and laser with injected signal 69 (1989) 419
Gatti, M., V. Palleschi, A. Salvetti, D.P. Singh and M. Vaselli, Spherical shock waves in laser produced plasmas in gas 69 (1988) 141
Gavrilenko, V.P. and E.A. Oks, On new possibilities of measuring electric fields in plasmas using molecule emission spectra 69 (1989) 384
Georges, P., F. Salin, G. Le Saux, G. Roger and A. Brun, 58 fs pulse generation near 685 nm from a passively modelocked dye laser 69 (1989) 281
Germey, K., F.-J. Schütte and R. Tiebel, Self-pulsing and chaotic dynamics in an optical three mode system 69 (1989) 438
Gerry, C.C. and J.B. Togeas, Squeezing and photon antibunching from a two-photon Dicke model 69 (1989) 263
Gilhaus, H., Th. Sauter, W. Neuhauser, R. Blatt and P.E. Toschek, On the light force upon a single trapped three-level ion 69 (1988) 25
Gil Villegas, A., see M. Fernandez Guasti 69 (1988) 105
Giorgi, M., see M. Bernardini 69 (1989) 271
Gong, T., see W.L. Nighan Jr. 69 (1989) 339
Gorelik, V.P., S.N. Kovalenko and B.G. Turukhano, Phase measurements in an interference fringe pattern by two-frequency sinusoidal phase modulation 69 (1988) 98
Gouveia-Neto, A.S., M.E. Faldon and J.R. Taylor, Temporal and spectral evolution of femtosecond solitons in the region of the zero group velocity dispersion of a single mode optical fibre 69 (1988) 173
Gouveia-Neto, A.S., M.E. Faldon and J.R. Taylor, Spectral and temporal study of the evolution from modulational instability to solitary wave 69 (1989) 325
Gromoll-Bohle, M., W. Bohle and W. Urban, Broadband CO laser emission on overtone transitions $\Delta v=2$ 69 (1989) 409

Habli, M.A., R.M.A. Azzam and A.M. El-Saba, Single-layer coating of one mirror of a 90°-rooftop reflector for equal p and s net complex reflection coefficients 69 (1989) 181
Hamel, J., see J.J. Aubert 69 (1989) 299
Hamoniaux, G., see J.P. Chambaret 69 (1989) 401
Hanna, D.C., see D. Espie 69 (1988) 153
Hänsch, T.W., see M. Fee 69 (1989) 219
Hardy, V., see J.J. Aubert 69 (1989) 299
Hawryluk, A.M., see N.M. Ceglio 69 (1989) 285
Herbert, D.C.W., see P.K. Milsom 69 (1989) 319
Herpers, U., see D. Kühlke 69 (1988) 75
Hiratsuka, S., see M. Yamaguchi 69 (1989) 349
Honda, T., see Q.-S. Ru 69 (1989) 189
Honda, T., see M. Yamaguchi 69 (1989) 349
Hong, J., see K. Xu 69 (1989) 429

Hough, J., see N.A. Robertson 69 (1989) 345
Hu, G., see Z. Zhang 69 (1988) 66
Hu, W.-B., see Z.-M. Li 69 (1988) 117
Hutchinson, M.H.R., see A.D. Case 69 (1989) 311
Huttner, B. and Y. Ben-Aryeh, Photodetection of non-classical light 69 (1988) 93

Inouye, K., see H. Nakatsuka 69 (1988) 169
Ishida, Y., see A. Watanabe 69 (1989) 405

Jackson, D.A., see D.J. Webb 69 (1989) 230
Jiang, Z.-M., see Z.-Z. Xu 69 (1988) 49
Johnson, C.K., see J.M. Bostick 69 (1988) 54
Johnston, T., High power single frequency operation of dyes over the spectrum from 364 nm to 524 nm pumped by an ultraviolet argon ion laser 69 (1988) 147
Jones, J.D.C., see D.J. Webb 69 (1989) 230
Joshi, A., see R.R. Puri 69 (1989) 367

Kadono, H., R. Uma Maheswari, N. Takai and T. Asakura, Optical velocimeter using the double-exposure specklegram 69 (1989) 199
Kakuta, M., see S. Kamemaru 69 (1989) 211
Kamemaru, S., M. Kakuta and I. Shimizu, Optical pattern recognition with object-multiplexed reflection-type matched spatial filters 69 (1989) 211
Katashima, Y., see H. Nakatsuka 69 (1988) 169
Kazer, A., see D. Espie 69 (1988) 153
Kenan, R.P., see V.E. Wood 69 (1988) 156
Kielich, S., see Z. Ficek 69 (1988) 20
Kim, H.L., see T.K. Minton 69 (1989) 289
Kołos, R. and J. Sepioł, Novel nanosecond spectral continuum source – high intensity model-less amplified spontaneous emission 69 (1989) 308
Kovalenko, S.N., see V.P. Gorelik 69 (1988) 98
Kozierowski, M. and V.I. Man'ko, Second-harmonic generation as a source of correlated coherent states 69 (1988) 71
Kramer, J., see W. Lukosz 69 (1988) 121
Kühlke, D. and U. Herpers, Limitation of the second harmonic conversion of intense femtosecond pulses 69 (1988) 75
Kühnle, G., see S. Szatmári 69 (1988) 60

Lai, G., see X. Tian 69 (1988) 11
Lane, R.G., see B.L.K. Davey 69 (1989) 353
Lefebvre, M., see D. Débarre 69 (1989) 362
Lera, G., see M. Nieto-Vesperinas 69 (1989) 329
Le Saux, G., see P. Georges 69 (1989) 281
Leti, D., see J.J. Aubert 69 (1989) 299
Lévy, Y., see V. Dentan 69 (1989) 379
Li, F., see H. Mao 69 (1988) 166
Li, F.M., see L.J. Qian 69 (1989) 398
Li, Z.-M., P.-J. Ding and W.-B. Hu, Image subtraction by phase encoding pseudocolor technique 69 (1988) 117

Lin, L.-H., see Z.-Z. Xu 69 (1988) 49
Liou, L., see W.L. Nighan Jr. 69 (1989) 339
Liu, S., see C. Ma 69 (1989) 357
Liu, Y., see H. Mao 69 (1988) 166
Liu, Y.X., see L.J. Qian 69 (1989) 398
Lo, D. and C.-E. Zheng, Evolution of instability in a XeCl laser discharge 69 (1989) 277
Lombardo, L. and G. Vetri, The Holstein Primakoff transformation in the generation of a squeezed field by collective atomic states 69 (1989) 258
Lu, B., X. Yang, H. Abendroth, H. Eggers and E. Ziolkowski, Measurement of a three dimensional temperature field applying ESPI and CT techniques 69 (1988) 6
Lugiato, L.A., F. Prati, L.M. Narducci and G.-L. Oppo, Spontaneous breaking of the cylindrical symmetry in lasers 69 (1989) 387
Lugiato, L.A., see P. Galatola 69 (1989) 414, 419
Lukosz, W., V. Briguet and J. Kramer, External grating couplers on planar waveguides: linear and nonlinear coupling and optical bistability 69 (1988) 121

Ma, C. and S. Liu, Simplified analysis of metal-gap optical stripline waveguides 69 (1989) 357
Magill, B.E., see Z.Y. Ou 69 (1988) 1
Malakyan, Yu.P., Suppression of hyper-Raman scattering by destructive interference process 69 (1989) 315
Mandel, L., see Z.Y. Ou 69 (1988) 1
Mandokoro, N., see M.M. Stallard 69 (1989) 433
Man'ko, V.I., see M. Kozierowski 69 (1988) 71
Mao, H., Y. Liu, F. Li, W. Yu, X. Zhu and X. Deng, Dynamical behaviour of two-wave coupling in undoped GaAs on a picosecond time scale 69 (1988) 166
Marchetti, S., see M. Bernardini 69 (1989) 271
Marquis, F. and P. Schwendimann, Amplification of a weak mode in a mode coupled vibronic laser 69 (1988) 79
Matsushima, R., see D. Chen 69 (1989) 425
McDonald, J.D., see T.K. Minton 69 (1989) 289
Migus, A., see J.P. Chambaret 69 (1989) 401
Miller, A., see P.K. Milsom 69 (1989) 319
Milsom, P.K., A. Miller and D.C.W. Herbert, The effect of end reflections and mirror positioning on the optical response of a nonlinear distributed feedback device 69 (1989) 319
Minton, T.K., S.A. Reid, H.L. Kim and J.D. McDonald, A scanning, single mode, $LiNbO_3$, optical parametric oscillator 69 (1989) 289
Mitchell, C.S. and J.V. Moloney, Propagation characteristics of optical beams in planar thin-film waveguides 69 (1989) 243
Moloney, J.V., see C.S. Mitchell 69 (1989) 243
Mounter, S.A., see J.M. Bostick 69 (1988) 54
Muradyan, A.Zh., Coherent diffraction of an atom in the quantized field of resonant opposite waves 69 (1988) 41

Nabiev, R.F., see N.N. Akhmediev 69 (1989) 247
Nakatsuka, H., Y. Katashima, K. Inouye and R. Yano, Incoherent light gated optical Kerr shutter for fluorescence lifetime measurement 69 (1988) 169
Narducci, L.M., see L.A. Lugiato 69 (1989) 387
Narducci, L.M., see G.-L. Oppo 69 (1989) 393

Neuhauser, W., see H. Gilhaus 69 (1988) 25
Nevermann, P., see B. Rheinländer 69 (1989) 374
Nieto-Vesperinas, M., see J.M. Soto-Crespo 69 (1989) 185
Nieto-Vesperinas, M. and G. Lera, Solution to nonlinear optical mixing equations with depletion and diffraction: difference-frequency generation 69 (1989) 329
Nighan Jr., W.L., T. Gong, L. Liou and P.M. Fauchet, Self-diffraction: a new method for characterization of ultrashort laser pulses 69 (1989) 339
Nugent, K.A., Three-dimensional optical microscopy: a sampling theorem 69 (1988) 15

Ohyama, N., see Q.-S. Ru 69 (1989) 189
Ohyama, N., see M. Yamaguchi 69 (1989) 349
Ojeda-Castañeda, J. and E. Tepichín, Incoherent speckle optical synthesizer 69 (1988) 113
Okamoto, N., see H. Daigo 69 (1988) 181
Okamoto, N., see D. Chen 69 (1989) 425
Oks, E.A., see V.P. Gavrilenko 69 (1989) 384
Oliver, S.N., see C.S. Winter 69 (1988) 45
Oppo, G.-L., see L.A. Lugiato 69 (1989) 387
Oppo, G.-L., J.R. Tredicce and L.M. Narducci, Dynamics of vibro-rotational CO_2 laser transitions in a two-dimensional phase space 69 (1989) 393
Osborne, M.R., see A.D. Case 69 (1989) 311
Ou, Z.Y., E.C. Gage, B.E. Magill and L. Mandel, Observation of beating between blue and green light 69 (1988) 1

Palleschi, V., see M. Gatti 69 (1988) 141
Palme, D., see B. Rheinländer 69 (1989) 374
Park, S.M. and G.J. Diebold, The effects of optical pumping on laser enhanced electron ionization of atoms 69 (1989) 253
Péalat, M., see D. Débarre 69 (1989) 362
Peall, R.G., see R.R.A. Syms 69 (1989) 235
Pedersen, K., see S.I. Bozhevol'nyi 69 (1989) 239
Piper, J.A., see M.D. Ainsworth 69 (1989) 294
Popov, E. and L. Tsonev, Electromagnetic field enhancement in deep metallic gratings 69 (1989) 193
Popov, Yu.M., see N.N. Akhmediev 69 (1989) 247
Postan, A., see Y. Ben-Aryeh 69 (1988) 87
Prati, F., see L.A. Lugiato 69 (1989) 387
Puri, R.R., see G.S. Agarwal 69 (1989) 267
Puri, R.R. and A. Joshi, Effects of finite temperature on two-photon transitions in a Rydberg atom in a high-Q cavity 69 (1989) 367

Qian, L.J., Y.X. Liu and F.M. Li, A femtosecond hybrid mode-locked short cavity dye laser 69 (1989) 398

Reid, S.A., see T.K. Minton 69 (1989) 289
Rheinländer, B., P. Nevermann, K. Berndt and D. Palme, Injection luminescence decay measurement using an opto-electronically cross-correlated Ge-APD 69 (1989) 374
Robertson, N.A., K.A. Strain and J. Hough, Measurements of losses in high reflectance mirrors coated for $\lambda = 514.5$ nm 69 (1989) 345
Robin, P., see V. Dentan 69 (1989) 379

Roger, G., see P. Georges 69 (1989) 281
Ru, Q.-S., N. Ohyama and T. Honda, Fringe scanning radial shearing interferometry with circular gratings 69 (1989) 189
Rush, J.D., see C.S. Winter 69 (1988) 45

Saito, H., see A. Watanabe 69 (1989) 405
Salin, F., see P. Georges 69 (1989) 281
Salvetti, A., see M. Gatti 69 (1988) 141
Sauter, Th., see H. Gilhaus 69 (1988) 25
Schütte, F.-J., see K. Germey 69 (1989) 438
Schwendimann, P., see F. Marquis 69 (1988) 79
Seki, M., see X. Tian 69 (1988) 11
Sepioł, J., see R. Kołos 69 (1989) 308
Shepherd, D.P., see D. Espie 69 (1988) 153
Shimizu, I., see S. Kamemaru 69 (1989) 211
Shy, J.-T., see J.-L. Chern 69 (1988) 108
Simon, J.D., see X. Xie 69 (1989) 303
Singh, D.P., see M. Gatti 69 (1988) 141
Soto-Crespo, J.M. and M. Nieto-Vesperinas, Enhancement of all antispecular orders from deep gratings 69 (1989) 185
Stallard, M.M. and N. Mandokoro, Transient analysis of phase conjugation in semiconductor material 69 (1989) 433
Stearns, D.G., see N.M. Ceglio 69 (1989) 285
Strain, K.A., see N.A. Robertson 69 (1989) 345
Syms, R.R.A. and R.G. Peall, The digital optical switch: analogous directional coupler devices 69 (1989) 235
Szatmári, S. and G. Kühnle, Pulse front and pulse duration distortion in refractive optics, and its compensation 69 (1988) 60

Takai, N., see H. Kadono 69 (1989) 199
Tan, W., see W. Zhang 69 (1988) 128, 135
Tanaś, R., see Z. Ficek 69 (1988) 20
Tatam, R.P., see D.J. Webb 69 (1989) 230
Taylor, J.R., see A.S. Gouveia-Neto 69 (1988) 173; 69 (1989) 325
Tepichín, E., see J. Ojeda-Castañeda 69 (1988) 113
Tian, X., G. Lai, T. Yatagai and M. Seki, High-precision refractive index distribution measurement of optical waveguides 69 (1988) 11
Tiebel, R., see K. Germey 69 (1989) 438
Togeas, J.B., see C.C. Gerry 69 (1989) 263
Toschek, P.E., see H. Gilhaus 69 (1988) 25
Tredicce, J.R., see G.-L. Oppo 69 (1989) 393
Tsonev, L., see E. Popov 69 (1989) 193
Tsujiuchi, J., see M. Yamagauchi 69 (1989) 349
Turukhano, B.G., see V.P. Gorelik 69 (1988) 98

Uma Maheswari, R., see H. Kadono 69 (1989) 199
Urban, W., see M. Gromoll-Bohle 69 (1989) 409

Vadacchino, M., see P. Galatola 69 (1989) 414, 419
Vaselli, M., see M. Gatti 69 (1988) 141
Vetri, G., see L. Lombardo 69 (1989) 258
Vikhagen, E., Vibration measurement using phase shifting TV-holography and digital image processing 69 (1989) 214

Watanabe, A., H. Saito, Y. Ishida and T. Yajima, A rapid scanning interferometric autocorrelator for monitoring femtosecond pulses 69 (1989) 405
Webb, D.J., R.P. Tatam, J.D.C. Jones and D.A. Jackson, A novel technique for polarisation mode dispersion measurements in optical fibres 69 (1989) 230
Wen, S., see S. Chi 69 (1989) 334
Wendt, W., see M. Aldén 69 (1988) 31
Winter, C.S., S.N. Oliver and J.D. Rush, n_2 measurements on various forms of ferrocene 69 (1988) 45
Wood, V.E., E.D. Evans and R.P. Kenan, Soluble saturable refractive-index nonlinearity model 69 (1988) 156
Wu, X., see Z. Zhang 69 (1988) 66
Wyon, Ch., see J.J. Aubert 69 (1989) 299
Wyrowski, F., see M. Broja 69 (1989) 205

Xie, X. and J.D. Simon, High energy and tunable picosecond laser pulses at 1 kHz: synchronously pumping a dye laser with a mode-locked, Q-switched and cavity dumped Nd:YAG laser system 69 (1989) 303
Xu, H., see K. Xu 69 (1989) 429
Xu, K., H. Xu and J. Hong, Observation of optical wave phase and wave front correction in photorefractive two-wave mixing 69 (1989) 429
Xu, Z.-Z., Z.-M. Jiang, L.-H. Lin, S.-S. Chen, Z.-Q. Zhang and P.-Z. Fan, Large-scale jet structures in laser-produced plasmas 69 (1988) 49

Yajima, T., see A. Watanabe 69 (1989) 405
Yamaguchi, M., N. Ohyama, T. Honda, J. Tsujuchi and S. Hiratsuka, A color image sampling method with suppression of moiré fringes 69 (1989) 349
Yang, X., see B. Lu 69 (1988) 6
Yano, R., see H. Nakatsuka 69 (1988) 169
Yatagai, T., see X. Tian 69 (1988) 11
Ye, P., see Z. Zhang 69 (1988) 66
Yu, W., see H. Mao 69 (1988) 166

Zaheer, K. and M.S. Zubairy, Phase-sensitive amplification in a two-level system 69 (1988) 37
Zhang, S., see Z. Zhang 69 (1988) 66
Zhang, W. and W. Tan, Dynamic behavior of a two-level system in multimode squeezed light. I. Bloch equations and dynamic Stark splitting 69 (1988) 128
Zhang, W. and W. Tan, Dynamic behavior of a two-level system in multimode squeezed light. II. Absorption lineshape with sub- or super-natural linewidth and shift of dispersion zero-point 69 (1988) 135
Zhang, Z., G. Hu, X. Wu, S. Zhang and P. Ye, Isotropic conical scattering in $BaTiO_3$ 69 (1988) 66
Zhang, Z.-Q., see Z.-Z. Xu 69 (1988) 49
Zheng, C.-E., see D. Lo 69 (1989) 277

Zhu, X., see H. Mao 69 (1988) 166
Ziolkowski, E., see B. Lu 69 (1988) 6
Zubairy, M.S., see K. Zaheer 69 (1988) 37

SUBJECT INDEX TO VOLUME 69

Propagation and transmission in homogeneous media

Observation of beating between blue and green light, Z.Y. Ou, E.C. Gage, B.E. Magill and L. Mandel 69 (1988) 1
Measurement of a three dimensional temperature field applying ESPI and CT techniques, B. Lu, X. Yang, H. Abendroth, H. Eggers and E. Ziolkowski 69 (1988) 6
Photodetection of non-classical light, B. Huttner and Y. Ben-Aryeh 69 (1988) 93
Phase measurements in an interference fringe pattern by two-frequency sinusoidal phase modulation, V.P. Gorelik, S.N. Kovalenko and B.G. Turukhano 69 (1988) 98
"Temporal modes" representation of propagating light pulses, I.P. Christov 69 (1988) 101
Propagation of rays in a duct with a radially variable refractive index: first integral solutions for gaussian profiles, M. Fernandez Guasti and A. Gil Villegas 69 (1988) 105
Single-layer coating of one mirror of a 90°-rooftop reflector for equal p and s net complex reflection coefficients, M.A. Habli, R.M.A. Azzam and A.M. El-Saba 69 (1989) 181
Enhancement of all antispecular orders from deep gratings, J.M. Soto-Crespo and M. Nieto-Vesperinas 69 (1989) 185
Fringe scanning radial shearing interferometry with circular gratings, Q.-S. Ru, N. Ohyama and T. Honda 69 (1989) 189
Electromagnetic field enhancement in deep metallic gratings, E. Popov and L. Tsonev 69 (1989) 193
Optical velocimeter using the double-exposure specklegram, H. Kadono, R. Uma Maheswari, N. Takai and T. Asakura 69 (1989) 199
Measurements of losses in high reflectance mirrors coated for $\lambda = 514.5$ nm, N.A. Robertson, K.A. Strain and J. Hough 69 (1989) 345

Propagation and transmission in inhomogeneous media

High-precision refractive index distribution measurement of optical waveguides, X. Tian, G. Lai, T. Yatagai and M. Seki 69 (1988) 11

Optical information, image formation and analysis, optical computing

Three-dimensional optical microscopy: a sampling theorem, K.A. Nugent 69 (1988) 15
Spatial disorder in a nonlinear optical system: (1) The number of unstable modes in the short delay limit, J.-L. Chern and J.-T. Shy 69 (1988) 108
Incoherent speckle optical synthesizer, J. Ojeda-Castañeda and E. Tepichín 69 (1988) 113
Image subtraction by phase encoding pseudocolor technique, Z.-M. Li, P.-J. Ding and W.-B. Hu 69 (1988) 117
Digital halftoning by iterative procedure, M. Broja, F. Wyrowski and O. Bryngdahl 69 (1989) 205
Optical pattern recognition with object-multiplexed reflection-type matched spatial filters, S. Kamemaru, M. Kakuta and I. Shimizu 69 (1989) 211
Vibration measurement using phase shifting TV-holography and digital image processing, E. Vikhagen 69 (1989) 214

Scanning electromagnetic transmission line microscope with sub-wavelength resolution, M. Fee, S. Chu and T.W. Hänsch 69 (1989) 219
Reconstruction characteristics of nonlinearly recorded double-exposure holograms, S. Fu 69 (1989) 225
A color image sampling method with suppression of moiré fringes, M. Yamaguchi, N. Ohyama, T. Honda, J. Tsujiuchi and S. Hiratsuka 69 (1989) 349
Blind deconvolution of noisy complex-valued image, B.L.K. Davey, R.G. Lane and R.H.T. Bates 69 (1989) 353
Observation of optical wave phase and wave front correction in photorefractive two-wave mixing, K. Xu, H. Xu and J. Hong 69 (1989) 429

Optical communications

External grating couplers on planar waveguides: linear and nonlinear coupling and optical bistability, W. Lukosz, V. Briguet and J. Kramer 69 (1988) 121
Soluble saturable refractive-index nonlinearity model, V.E. Wood, E.D. Evans and R.P. Kenan 69 (1988) 156
A novel technique for polarisation mode dispersion measurements in optical fibres, D.J. Webb, R.P. Tatam, J.D.C. Jones and D.A. Jackson 69 (1989) 230
The digital optical switch: analogous directional coupler devices, R.R.A. Syms and R.G. Peall 69 (1989) 235
Measurement of effective index fluctuations in Ti:$LiNbO_3$ waveguides using Cherenkov second-harmonic, S.I. Bozhevol'nyi and K. Pedersen 69 (1989) 239
Propagation characteristics of optical beams in planar thin-film waveguides, C.S. Mitchell and J.V. Moloney 69 (1989) 243
Three-dimensional modes of a symmetric nonlinear plane waveguide, N.N. Akhmediev, R.F. Nabiev and Yu.M. Popov 69 (1989) 247
Simplified analysis of metal-gap optical stripline waveguides, C. Ma and S. Liu 69 (1989) 357

Atomic and molecular physics

Amplitude-squared squeezing in two-atom resonance fluorescence, Z. Ficek, R. Tanaś and S. Kielich 69 (1988) 20
On the light force upon a single trapped three-level ion, H. Gilhaus, Th. Sauter, W. Neuhauser, R. Blatt and P.E. Toschek 69 (1988) 25
Detection of nitrogen molecules through multi-photon laser excitation and N_2^+ fluorescence, M. Aldén and W. Wendt 69 (1988) 31
Phase-sensitive amplification in a two-level system, K. Zaheer and M.S. Zubairy 69 (1988) 37
Coherent diffraction of an atom in the quantized field of resonant opposite waves, A.Zh. Muradyan 69 (1988) 41
Dynamic behavior of a two-level system in multimode squeezed light. I. Bloch equations and dynamic Stark splitting, W. Zhang and W. Tan 69 (1988) 128
Dynamic behavior of a two-level system in multimode squeezed light II. Absorption lineshape with sub- or super-natural linewidth and shift of dispersion zero-point, W. Zhang and W. Tan 69 (1988) 135
The effects of optical pumping on laser enhanced electron ionization of atoms, S.M. Park and G.J. Diebold 69 (1989) 253
The Holstein Primakoff transformation in the generation of a squeezed field by collective atomic states, L. Lombardo and G. Vetri 69 (1989) 258

Squeezing and photon antibunching from a two-photon Dicke model, C.C. Gerry and J.B. Togeas 69 (1989) 263
Nonequilibrium phase transitions in a squeezed cavity and the generation of spin states satisfying uncertainty equality, G.S. Agarwal and R.R. Puri 69 (1989) 267
Coherent subharmonic anti-Stokes Raman spectroscopy (CSARS) in gases, D. Débarre, M. Lefebvre and M. Péalat 69 (1989) 362
Effects of finite temperature on two-photon transitions in a Rydberg atom in a high-Q cavity, R.R. Puri and A. Joshi 69 (1989) 367
On new possibilities of measuring electric fields in plasmas using molecule emission spectra, V.P. Gavrilenko and E.A. Oks 69 (1989) 384

Condensed matter

n_2 measurements on various forms of ferrocene, C.S. Winter, S.N. Oliver and J.D. Rush 69 (1988) 45
Injection luminescence decay measurement using an opto-electronically cross-correlated Ge-APD, B. Rheinländer, P. Nevermann, K. Berndt and D. Palme 69 (1989) 374
Electrooptic properties of a ferroelectric polymer studied by attenuated total reflection, V. Dentan, Y. Lévy, M. Dumont, P. Robin and E. Chastaing 69 (1989) 379

Plasmas

Large-scale jet structures in laser-produced plasmas, Z.-Z. Xu, Z.-M. Jiang, L.-H. Lin, S.-S. Chen, Z.-Q. Zhang and P.-Z. Fan 69 (1988) 49
Spherical shock waves in laser produced plasmas in gas, M. Gatti, V. Palleschi, A. Salvetti, D.P. Singh and M. Vaselli 69 (1988) 141
On new possibilities of measuring electric fields in plasmas using molecule emission spectra, V.P. Gavrilenko and E.A. Oks 69 (1989) 384

Lasers

Dual picosecond dye lasers pumped by synchronized mode-locked and Q-switched cw Nd:YAG lasers, J.M. Bostick, S.A. Mounter and C.K. Johnson 69 (1988) 54
Pulse front and pulse duration distortion in refractive optics, and its compensation, S. Szatmári and G. Kühnle 69 (1988) 60
High power single frequency operation of dyes over the spectrum from 364 nm to 524 nm pumped by an ultraviolet argon ion laser, T. Johnston 69 (1988) 147
CW operation of Nd:YAG pumped Yb:Er phosphate glass laser at 1.54 μm, D. Espie, D.C. Hanna, A. Kazer and D.P. Shepherd 69 (1988) 153
Very high tunability with single line operation of a transverse excitation multi-atmosphere CO_2 laser, M. Bernardini, F. D'Amato, M. Giorgi and S. Marchetti 69 (1989) 271
Evolution of instability in a XeCl laser discharge, D. Lo and C.-E. Zheng 69 (1989) 277
58 fs pulse generation near 685 nm from a passively modelocked dye laser, P. Georges, F. Salin, G. Le Saux, G. Roger and A. Brun 69 (1989) 281
Double pass amplification of laser radiation at 131 Å, N.M. Ceglio, D.P. Gaines, D.G. Stearns and A.M. Hawryluk 69 (1989) 285
A scanning, single mode, $LiNbO_3$, optical parametric oscillator, T.K. Minton, S.A. Reid, H.L. Kim and J.D. McDonald 69 (1989) 289
A hybrid copper/gold laser pumped dye amplifier, M.D. Ainsworth and J.A. Piper 69 (1989) 294

Un laser solide accordable pompé par diode, J.J. Aubert, Ch. Wyon, D. Leti, A. Cassimi, V. Hardy and J. Hamel 69 (1989) 299
High energy and tunable picosecond laser pulses at 1 kHz: synchronously pumping a dye laser with a mode-locked, Q-switched and cavity dumped Nd:YAG laser system, X. Xie and J.D. Simon 69 (1989) 303
Novel nanosecond spectral continuum source – high intensity model-less amplified spontaneous emission, R. Kołos and J. Sepioł 69 (1989) 308
A flashlamp-pumped dye laser with a SBS phase-conjugate resonator, A.D. Case, M.R. Osborne, M.J. Damzen and M.H.R. Hutchinson 69 (1989) 311
Spontaneous breaking of the cylindrical symmetry in lasers, L.A. Lugiato, F. Prati, L.M. Narducci and G.-L. Oppo 69 (1989) 387
Dynamics of vibro-rotational CO_2 laser transitions in a two-dimensional phase space, G.-L. Oppo, J.R. Tredicce and L.M. Narducci 69 (1989) 393
A femtosecond hybrid mode-locked short cavity dye laser, L.J. Qian, Y.X. Liu and F.M. Li 69 (1989) 398
Generation of megawatt tunable pulses of duration 90 fs at a 11 kHz repetition rate: first experiments in the range 800–850 nm, J.P. Chambaret, A. Dos Santos, G. Hamoniaux, A. Migus and A. Antonetti 69 (1989) 401
A rapid scanning interferometric autocorrelator for monitoring femtosecond pulses, A. Watanabe, H. Saito, Y. Ishida and T. Yajima 69 (1989) 405
Broadband CO laser emission on overtone transitions $\Delta v = 2$, M. Gromoll-Bohle, W. Bohle and W. Urban 69 (1989) 409

Nonlinear optics

Observation of beating between blue and green light, Z.Y. Ou, E.C. Gage, B.E. Magill and L. Mandel 69 (1988) 1
n_2 measurements on various forms of ferrocene, C.S. Winter, S.N. Oliver and J.D. Rush 69 (1988) 45
Isotropic conical scattering in $BaTiO_3$, Z. Zhang, G. Hu, X. Wu, S. Zhang and P. Ye 69 (1988) 66
Second-harmonic generation as a source of correlated coherent states, M. Kozierowski and V.I. Man'ko 69 (1988) 71
Limitation of the second harmonic conversion of intense femtosecond pulses, D. Kühlke and U. Herpers 69 (1988) 75
Amplification of a weak mode in a mode coupled vibronic laser, F. Marquis and P. Schwendimann 69 (1988) 79
Role of photovoltaic drift on the initial writing and erasure rates of holographic gratings: some implications, M. Carrascosa, J.M. Cabrera and F. Agulló-López 69 (1988) 83
The gain profile for phase conjugation in four wave mixing by stimulated Brillouin scattering in fluids, Y. Ben-Aryeh and A. Postan 69 (1988) 87
External grating couplers on planar waveguides: linear and nonlinear coupling and optical bistability, W. Lukosz, V. Briguet and J. Kramer 69 (1988) 121
Soluble saturable refractive-index nonlinearity model, V.E. Wood, E.D. Evans and R.P. Kenan 69 (1988) 156
Optical parametric fluorescence and oscillation in urea using an excimer laser, M. Ebrahimzadeh and M.H. Dunn 69 (1988) 161
Dynamical behaviour of two-wave coupling in undoped GaAs on a picosecond time scale, H. Mao, Y. Liu, F. Li, W. Yu, X. Zhu and X. Deng 69 (1988) 166
Incoherent light gated optical Kerr shutter for fluorescence lifetime measurement, H. Nakatsuka, Y. Katashima, K. Inouye and R. Yano 69 (1988) 169

Temporal and spectral evolution of femtosecond solitons in the region of the zero group velocity dispersion of a single mode optical fibre, A.S. Gouveia-Neto, M.E. Faldon and J.R. Taylor 69 (1988) 173
Second harmonic generation from composites of 2-methyl-4-nitroaniline and polymethyl methacrylate made in a constant electric field, H. Daigo, N. Okamoto and H. Fujimura 69 (1988) 181
Propagation characteristics of optical beams in planar thin-film waveguides, C.S. Mitchell and J.V. Moloney 69 (1989) 243
Three-dimensional modes of a symmetric nonlinear plane waveguide, N.N. Akhmediev, R.F. Nabiev and Yu.M. Popov 69 (1989) 247
The Holstein Primakoff transformation in the generation of a squeezed field by collective atomic states, L. Lombardo and G. Vetri 69 (1989) 258
Squeezing and photon antibunching from a two-photon Dicke model, C.C. Gerry and J.B. Togeas 69 (1989) 263
Nonequilibrium phase transitions in a squeezed cavity and the generation of spin states satisfying uncertainty equality, G.S. Agarwal and R.R. Puri 69 (1989) 267
Suppression of hyper-Raman scattering by destructive interference process, Yu.P. Malakyan 69 (1989) 315
The effect of end reflections and mirror positioning on the optical response of a nonlinear distributed feedback device, P.K. Milsom, A. Miller and D.C.W. Herbert 69 (1989) 319
Spectral and temporal study of the evolution from modulational instability to solitary wave, A.S. Gouveia-Neto, M.E. Faldon and J.R. Taylor 69 (1989) 325
Solution to nonlinear optical mixing equations with depletion and diffraction: difference-frequency generation, M. Nieto-Vesperinas and G. Lera 69 (1989) 329
Optical soliton near zero-dispersion regime in a Raman pumped fiber, S. Chi and S. Wen 69 (1989) 334
Self-diffraction: a new method for characterization of ultrashort laser pulses, W.L. Nighan Jr., T. Gong, L. Liou and P.M. Fauchet 69 (1989) 339
Coherent subharmonic anti-Stokes Raman spectroscopy (CSARS) in gases, D. Débarre, M. Lefebvre and M. Péalat 69 (1989) 362
Effects of finite temperature on two-photon transitions in a Rydberg atom in a high-Q cavity, R.R. Puri and A. Joshi 69 (1989) 367
Phase instability in two-photon optical bistability, P. Galatola, L.A. Lugiato, M. Vadacchino and N.B. Abraham 69 (1989) 414
Squeezing in two-photon optical bistability and laser with injected signal, P. Galatola, L.A. Lugiato, M. Vadacchino and N.B. Abraham 69 (1989) 419
Second harmonic generation from organic nonlinear materials of N-alkyl-4-nitroaniline, D. Chen, N. Okamoto and R. Matsushima 69 (1989) 425
Observation of optical wave phase and wave front correction in photorefractive two-wave mixing, K. Xu, H. Xu and J. Hong 69 (1989) 429
Transient analysis of phase conjugation in semiconductor material, M.M. Stallard and N. Mandokoro 69 (1989) 433
Self-pulsing and chaotic dynamics in an optical three mode system, K. Germey, F.-J. Schütte and R. Tiebel 69 (1989) 438